ELSEVIER

Gene 197 (1997) 417–420

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 197 (1997)

Abramson, R., see Williams, S. (197) 101
Adams, M.T., see Schneider, S. (197) 337
Ahmed, A. and Podemski, L.
Use of ordered deletions in genome sequencing (197) 367
Aigle, M., see Dumora, C. (197) 405
Aiso, S., see Hiraoka, Y. (197) 65
Akira, T., Komatsu, M., Nango, R., Tomooka, A., Konaka, K., Yamauchi, M., Kitamura, Y., Nomura, S. and Tsukamoto, I.
Molecular cloning and expression of a rat cDNA encoding 5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase (197) 289
Allard, G., see Khoudi, H. (197) 343
Amemura-Maekawa, J. and Watanabe, H.
Cloning and sequencing of the *dnaK* and *grpE* genes of *Legionella pneumophila* (197) 165
Andre, C., see Williams, S. (197) 101
Argaraña, C.E., see Smania, A.M. (197) 231

Bao, Y., Yang, B.-Z., Dawson Jr, T.L. and Chen, Y.-T.
Isolation and nucleotide sequence of human liver glycogen debranching enzyme mRNA: identification of multiple tissue-specific isoforms (197) 389
Barany, F., see Cao, W. (197) 205
Barberio, C., see Fani, R. (197) 9
Barbieri, J.T., see Masuda, I. (197) 277
Barnes, N.Y., see Hardham, J.M. (197) 47
Barrett, M.D., see Bellis, L.D. (197) 375
Barsanti, P., see Viggiano, L. (197) 29
Barthmaier, P., see Fyrberg, C. (197) 315
Becker, J., see Fyrberg, C. (197) 315
Billips, L.G., see Finger, L.R. (197) 177
Bouriotis, V., see Rina, M. (197) 353
Breiteneder, H., see Hoffmann-Sommergruber, K. (197) 91
Buchert, M., see Schneider, S. (197) 337
Burch, J.B.E., see Haas, N.B. (197) 305
Burrows, P.D., see Finger, L.R. (197) 177
Burt, D.W., see Ramage, A.D. (197) 83

Caggese, C., see Viggiano, L. (197) 29
Caizzi, R., see Viggiano, L. (197) 29
Cancilla, M.R., see Kouprina, N. (197) 269
Cao, W., Lu, J. and Barany, F.
Nucleotide sequences and gene organization of *Taq*I endonuclease isoschizomers from *Thermus sp.* SM32 and *Thermus filiformis* Tok6A1 (197) 205
Casalone, E., see Fani, R. (197) 9
Cassaigne, A., see Dumora, C. (197) 405
Castonguay, Y., see Khoudi, H. (197) 343
Caufrier, F., see Rina, M. (197) 353
Cavalieri, D., see Fani, R. (197) 9
Chen, H.-S., see Ling, M. (197) 325
Chen, Y.-T., see Bao, Y. (197) 389
Cheng, A.-J. and Van Dyke, M.W.
Oligodeoxyribonucleotide length and sequence effects on intramolecular and intermolecular G-quartet formation (197) 253
Chluba-de Tapia, J., de Tapia, M., Jäggin, V. and Eberle, A.N.
Cloning of a human multispanning membrane protein cDNA: evidence for a new protein family (197) 195
Clark, A.J., see Ramage, A.D. (197) 83
Crouzet, M., see Dumora, C. (197) 405

Dawson Jr, T.L., see Bao, Y. (197) 389
De Bellis, L., Ismail, I., Reynolds, S.J., Barrett, M.D. and Smith, S.M.
Distinct *cis*-acting sequences are required for the germination and sugar responses of the cucumber isocitrate lyase gene (197) 375
de Tapia, M., see Chluba-de Tapia, J. (197) 195
Dmitrenko, V., Garifulin, O. and Kavsan, V.
Isolation and sequence analysis of the cDNA encoding subunit C of human CCAAT-binding transcription factor (197) 161
Doignon, F., see Dumora, C. (197) 405
Donady, J.J., see Lievens, P.M.J. (197) 73
Duff, C., see Ling, M. (197) 325
Dumora, C., Marche, M., Doignon, F., Aigle, M., Cassaigne, A. and Crouzet, M.
First characterization of the phosphonoacetaldehyde hydrolase gene of *Pseudomonas aeruginosa* (197) 405
Duncan, A.M.V., see Ling, M. (197) 325

Eberle, A.N., see Chluba-de Tapia, J. (197) 195
Elliott, J.M., see Miano, J.M. (197) 215
Elsenboss, L., see Williams, S. (197) 101

Fani, R., Tamburini, E., Mori, E., Lazcano, A., Liò, P., Barberio, C., Casalone, E., Cavalieri, D., Perito, B. and Polsinelli, M.
Paralogous histidine biosynthetic genes: evolutionary analysis of the *Saccharomyces cerevisiae HIS6* and *HIS7* genes (197) 9
Ferreira, F., see Hoffmann-Sommergruber, K. (197) 91
Finger, L.R., Pu, J., Wasserman, R., Vibhakar, R., Louie, E., Hardy, R.R., Burrows, P.D. and Billips, L.G.
The human PD-1 gene: complete cDNA, genomic organization, and developmentally regulated expression in B cell progenitors (197) 177
Finstad, S.L., see Lee, V.D. (197) 153
Friedman, A.D., see Lira, S.A. (197) 311
Frye, J.G., see Hardham, J.M. (197) 47
Fujimura, Y., see Takiguchi, S. (197) 169
Fujiyama, A., see Yoshikawa, H. (197) 129
Funakoshi, A., see Takiguchi, S. (197) 169
Fyrberg, C., Becker, J., Barthmaier, P., Mahaffey, J. and Fyrberg, E.
A *Drosophila* muscle-specific gene related to the mouse *quaking* locus (197) 315
Fyrberg, E., see Fyrberg, C. (197) 315

Gagnat, J., see Yin, X.-H. (197) 37
Garcia, E., see Miano, J.M. (197) 215
Garifulin, O., see Dmitrenko, V. (197) 161
Georgiev. O., see Schneider, S. (197) 337
Gerbaud, C., see Yin, X.-H. (197) 37
Goto, T., see Takiguchi, S. (197) 169
Grabowski, J.M., see Haas, N.B. (197) 305

Graves, J., see Kouprina, N. (197) 269
Griffiths, R. and Korn, R.M.
A *CHD1* gene is Z chromosome linked in the chicken *Gallus domesticus* (197) 225
Guérineau, M., see Yin, X.-H. (197) 37

Haas, A.L., see Masuda, I. (197) 277
Haas, N.B., Grabowski, J.M., Sivitz, A.B. and Burch, J.B.E.
Chicken repeat 1 (CR1) elements, which define an ancient family of vertebrate non-LTR retrotransposons, contain two closely spaced open reading frames (197) 305
Halligan, B.D., see Masuda, I. (197) 277
Haouazine-Takvorian, N., Tymowska-Lalanne, Z., Takvorian, A., Tregear, J., Lejeune, B., Lecharny, A. and Kreis, M.
Characterization of two members of the *Arabidopsis thaliana* gene family, *Atβfruct3* and *Atβfruct4*, coding for vacuolar invertases (197) 239
Harada, H., see Tagashira, S. (197) 399
Hardham, J.M., Stamm, L.V., Porcella, S.F., Frye, J.G., Barnes, N.Y., Howell, J.K., Mueller, S.L., Radolf, J.D., Weinstock, G.M. and Norris, S.J.
Identification and transcriptional analysis of a *Treponema pallidum* operon encoding a putative ABC transport system, an iron-activated repressor protein homolog, and a glycolytic pathway enzyme homolog (197) 47
Hardy, R.R., see Finger, L.R. (197) 177
Hayes, L., see Williams, S. (197) 101
Hiraoka, Y., Komatsu, N., Sakai, Y., Ogawa, M., Shiozawa, M. and Aiso, S.
XLS13A and *XLS13B: SRY*-related genes of *Xenopus laevis* (197) 65
Hoffmann-Sommergruber, K., Vanek-Krebitz, M., Radauer, C., Wen, J., Ferreira, F., Scheiner, O. and Breiteneder, H.
Genomic characterization of members of the Bet v 1 family: genes coding for allergens and pathogenesis-related proteins share intron positions (197) 91
Hoshino, H., see Wakabayashi, N. (197) 121
Hovens, C.M., see Schneider, S. (197) 337
Howell, J.K., see Hardham, J.M. (197) 47
Huang, B., see Lee, V.D. (197) 153

Imahori, K., see Takahashi, H. (197) 383
Ismail, I., see Bellis, L.D. (197) 375
Itoh, N., see Tagashira, S. (197) 399

Jäggin, V., see Chluba-de Tapia, J. (197) 195
Jahn, C.L., see Tebeau, C.M. (197) 109
Joshi, L., St. Leger, R.J. and Roberts, D.W.
Isolation of a cDNA encoding a novel subtilisin-like protease (Pr1B) from the entomopathogenic fungus, *Metarhizium anisopliae* using differential display-RT-PCR (197) 1

Kajiyama, G., see Yoshikawa, H. (197) 129
Kakikawa, M., see Oki, M. (197) 137
Kang, J.S., Lee, H.B., Rhee, S.G., Park, K. and Yoo, O.J.
The 5′-upstream region of the rat phospholipase C-β3 gene contains two critical Sp1 sites and an HIV Inr-like element (197) 19
Kataoka, K., see Takiguchi, S. (197) 169
Katsumata, T., see Tagashira, S. (197) 399
Kavsan, V., see Dmitrenko, V. (197) 161
Khoudi, H., Vézina, L.-P., Mercier, J., Castonguay, Y., Allard, G. and Laberge, S.
An alfalfa rubisco small subunit homologue shares *cis*-acting elements with the regulatory sequences of the RbcS-3A gene from pea (197) 343
Kitamura, Y., see Akira, T. (197) 289
Kodaira, K.-I., see Oki, M. (197) 137
Kokkinidis, M., see Rina, M. (197) 353
Komatsu, M., see Akira, T. (197) 289
Komatsu, N., see Hiraoka, Y. (197) 65
Konaka, K., see Akira, T. (197) 289
Kono, A., see Takiguchi, S. (197) 169
Korn, R.M., see Griffiths, R. (197) 225
Kouprina, N., Graves, J., Cancilla, M.R., Resnick, M.A. and Larionov, V.
Specific isolation of human rDNA genes by TAR cloning (197) 269
Krahe, R., see Miano, J.M. (197) 215
Kreis, M., see Haouazine-Takvorian, N. (197) 239
Kudo, T. and Sutou, S.
Molecular cloning of chicken FTZ-F1-related orphan receptors (197) 261
Kulmburg, P., Radke, M., Mezes, B., Mertelsmann, R. and Rosenthal, F.M.
Cloning and sequence analysis of the immediate promoter region and cDNA of porcine granulocyte colony-stimulating factor (197) 361

Laberge, S., see Khoudi, H. (197) 343
Larionov, V., see Kouprina, N. (197) 269
Lazcano, A., see Fani, R. (197) 9
Lecharny, A., see Haouazine-Takvorian, N. (197) 239
Lee, H.B., see Kang, J.S. (197) 19
Lee, V.D., Finstad, S.L. and Huang, B.
Cloning and characterization of a gene encoding an actin-related protein in *Chlamydomonas* (197) 153
Lejeune, B., see Haouazine-Takvorian, N. (197) 239
Lengyel, J.A., see Singer, J.B. (197) 379
Le Pennec, J.-P, see Mouchel, N. (197) 147
Levine, M., see Park, J.B. (197) 189
Lievens, P.M.J., Tufarelli, C., Donady, J.J., Stagg, A. and Neufeld, E.J.
CASP, a novel, highly conserved alternative-splicing product of the CDP/*cut*/*cux* gene, lacks cut-repeat and homeo DNA-binding domains, and interacts with full-length CDP in vitro (197) 73
Ling, M., Merante, F., Chen, H.-S., Duff, C., Duncan, A.M.V. and Robinson, B.H.
The human mitochondrial elongation factor tu (*EF-Tu*) gene: cDNA sequence, genomic localization, genomic structure, and identification of a pseudogene (197) 325
Liò, P., see Fani, R. (197) 9
Lira, S.A. and Friedman, A.D.
The myeloperoxidase gene proximal enhancer directs hematopoietic-specific expression in transgenic mice (197) 311
Louie, E., see Finger, L.R. (197) 177
Lu, J., see Cao, W. (197) 205

Mahaffey, J., see Fyrberg, C. (197) 315
Marche, M., see Dumora, C. (197) 405
Markaki, M., see Rina, M. (197) 353
Masuda, I., Halligan, B.D., Barbieri, J.T., Haas, A.L., Ryan, L.M. and McCarty, D.J.
Molecular cloning and expression of a porcine chondrocyte nucleotide pyrophosphohydrolase (197) 277
Matsubara, K., see Yoshikawa, H. (197) 129
Mavromatis, K., see Rina, M. (197) 353
McCarty, D.J., see Masuda, I. (197) 277
Merante, F., see Ling, M. (197) 325
Mercier, J., see Khoudi, H. (197) 343
Mercken, M., see Takahashi, H. (197) 383
Mertelsmann, R., see Kulmburg, P. (197) 361
Mezes, B., see Kulmburg, P. (197) 361
Miano, J.M., Krahe, R., Garcia, E., Elliott, J.M. and Olson, E.N.
Expression, genomic structure and high resolution mapping to 19p13.2 of the human smooth muscle cell calponin gene (197) 215
Milos, P.M., see Williams, S. (197) 101

Miyasaka, K., see Takiguchi, S. (197) 169
Mizuno, S., see Wakabayashi, N. (197) 121
Moelling, K., see Schneider, S. (197) 337
Mori, E., see Fani, R. (197) 9
Mouchel, N., Trichet, V., Naimi, B.Y., Le Pennec, J.-P. and Wolff, J.
Structure of a fish (*Oncorhynchus mykiss*) vitellogenin gene and its evolutionary implication (197) 147
Mountford, P.S., see Ramage, A.D. (197) 83
Mueller, S.L., see Hardham, J.M. (197) 47
Murayama, M., see Takahashi, H. (197) 383

Nagai, H., see Yoshikawa, H. (197) 129
Naimi, B.Y., see Mouchel, N. (197) 147
Nakamura, S., see Oki, M. (197) 137
Nakanishi, T., see Yoshikawa, H. (197) 129
Nakatsuka, M., see Tagashira, S. (197) 399
Nakazato, Y., see Takahashi, H. (197) 383
Nango, R., see Akira, T. (197) 289
Neufeld, E.J., see Lievens, P.M.J. (197) 73
Nishimori, K., see Wakabayashi, N. (197) 121
Noguchi, K., see Takahashi, H. (197) 383
Nomura, S., see Akira, T. (197) 289
Norris, S.J., see Hardham, J.M. (197) 47

Ogawa, M., see Hiraoka, Y. (197) 65
Oh, K.S., see Yoshikawa, H. (197) 129
Oki, M., Kakikawa, M., Nakamura, S., Yamamura, E.-T., Watanabe, K., Sasamoto, M., Taketo, A. and Kodaira, K.-I.
Functional and structural features of the holin HOL protein of the *Lactobacillus plantarum* phage ϕg1e: analysis in *Escherichia coli* system (197) 137
Olson, E.N., see Miano, J.M. (197) 215
Ouyang, P., Zhen, Y.-Y. and Sugrue, S.P.
Cloning and analysis of cDNA encoding murine pinin (197) 115

Park, J.B. and Levine, M.
The human glutaredoxin gene: determination of its organization, transcription start point, and promoter analysis (197) 189
Park, K., see Kang, J.S. (197) 19
Perito, B., see Fani, R. (197) 9
Podemski, L., see Ahmed, A. (197) 367
Polsinelli, M., see Fani, R. (197) 9
Porcella, S.F., see Hardham, J.M. (197) 47
Pu, J., see Finger, L.R. (197) 177

Radauer, C., see Hoffmann-Sommergruber, K. (197) 91
Radke, M., see Kulmburg, P. (197) 361
Radolf, J.D., see Hardham, J.M. (197) 47
Ramage, A.D., Clark, A.J., Smith, A.G., Mountford, P.S. and Burt, D.W.
Improved EBV-based shuttle vector system: dicistronic mRNA couples the synthesis of the Epstein–Barr nuclear antigen-1 protein to neomycin resistance (197) 83
Resnick, M.A., see Kouprina, N. (197) 269
Reynolds, S.J., see Bellis, L.D. (197) 375
Rhee, S.G., see Kang, J.S. (197) 19
Rhodes, L.D. and Van Beneden, R.J.
Isolation of the cDNA and characterization of mRNA expression of ribosomal protein S19 from the soft-shell clam, *Mya arenaria* (197) 295
Rina, M., Caufrier, F., Markaki, M., Mavromatis, K., Kokkinidis, M. and Bouriotis, V.
Cloning and characterization of the gene encoding *Psp*PI methyltransferase from the Antarctic psychrotroph *Psychrobacter* sp. strain TA137. Predicted interactions with DNA and organization of the variable region (197) 353
Roberts, D.W., see Joshi, L. (197) 1
Robinson, B.H., see Ling, M. (197) 325
Rosenthal, F.M., see Kulmburg, P. (197) 361
Ryan, L.M., see Masuda, I. (197) 277

Sakai, Y., see Hiraoka, Y. (197) 65
Sasamoto, M., see Oki, M. (197) 137
Scheiner, O., see Hoffmann-Sommergruber, K. (197) 91
Schneider, S., Georgiev, O., Buchert, M., Adams, M.T., Moelling, K. and Hovens, C.M.
An epitope tagged mammalian/prokaryotic expression vector with positive selection of cloned inserts (197) 337
Shiozawa, M., see Hiraoka, Y. (197) 65
Singer, J.B. and Lengyel, J.A.
Expression and sequence analysis of the *Drosophila* blastoderm-specific gene *bsg25A* (197) 379
Sivitz, A.B., see Haas, N.B. (197) 305
Smania, A.M. and Argaraña, C.E.
Molecular cloning and characterization of a cDNA encoding a bovine butanediol dehydrogenase (197) 231
Smith, A.G., see Ramage, A.D. (197) 83
Smith, S.M., see Bellis, L.D. (197) 375
Stagg, A., see Lievens, P.M.J. (197) 73
Stamm, L.V., see Hardham, J.M. (197) 47
St. Leger, R.J., see Joshi, L. (197) 1
Sugrue, S.P., see Ouyang, P. (197) 115
Sutou, S., see Kudo, T. (197) 261
Suzuki, A., see Wakabayashi, N. (197) 121

Tagashira, S., Harada, H., Katsumata, T., Itoh, N. and Nakatsuka, M.
Cloning of mouse FGF10 and up-regulation of its gene expression during wound healing. (197) 399
Takahashi, H., Mercken, M., Nakazato, Y., Noguchi, K., Murayama, M., Imahori, K. and Takashima, A.
Cloning of cDNA and expression of the gene encoding rat presenilin-2 (197) 383
Takashima, A., see Takahashi, H. (197) 383
Takata, Y., see Takiguchi, S. (197) 169
Taketo, A., see Oki, M. (197) 137
Takiguchi, S., Takata, Y., Funakoshi, A., Miyasaka, K., Kataoka, K., Fujimura, Y., Goto, T. and Kono, A.
Disrupted cholecystokinin type-A receptor (*CCKAR*) gene in OLETF rats (197) 169
Takvorian, A., see Haouazine-Takvorian, N. (197) 239
Tamai, S., see Yoshikawa, H. (197) 129
Tamburini, E., see Fani, R. (197) 9
Tebeau, C.M. and Jahn, C.L.
Sequence and transcript analysis of macronuclear histone *H2B* genes from *Euplotes crassus* (197) 109
Thompson, J.F., see Williams, S. (197) 101
Tomooka, A., see Akira, T. (197) 289
Tregear, J., see Haouazine-Takvorian, N. (197) 239
Trichet, V., see Mouchel, N. (197) 147
Tsukamoto, I., see Akira, T. (197) 289
Tufarelli, C., see Lievens, P.M.J. (197) 73
Tymowska-Lalanne, Z., see Haouazine-Takvorian, N. (197) 239

Van Beneden, R.J., see Rhodes, L.D. (197) 295
Van Dyke, M.W., see Cheng, A.-J. (197) 253
Vanek-Krebitz, M., see Hoffmann-Sommergruber, K. (197) 91
Vézina, L.-P., see Khoudi, H. (197) 343
Vibhakar, R., see Finger, L.R. (197) 177
Viggiano, L., Caggese, C., Barsanti, P. and Caizzi, R.
Cloning and characterization of a copy of *Tirant* transposable element in *Drosophila melanogaster* (197) 29
Virolle, M.-J., see Yin, X.-H. (197) 37

Wakabayashi, N., Suzuki, A., Hoshino, H., Nishimori, K. and Mizuno, S.
The cDNA cloning and transient expression of a chicken gene encoding a follicle-stimulating hormone receptor (197) 121
Wasserman, R., see Finger, L.R. (197) 177
Watanabe, H., see Amemura-Maekawa, J. (197) 165
Watanabe, K., see Oki, M. (197) 137
Weinstock, G.M., see Hardham, J.M. (197) 47
Wen, J., see Hoffmann-Sommergruber, K. (197) 91
Williams, A., see Williams, S. (197) 101
Williams, S., Hayes, L., Elsenboss, L., Williams, A., Andre, C., Abramson, R., Thompson, J.F. and Milos, P.M.
Sequencing of the cholesteryl ester transfer protein 5′ regulatory region using artificial transposons (197) 101
Wolff, J., see Mouchel, N. (197) 147
Yamamura, E.-T., see Oki, M. (197) 137
Yamauchi, M., see Akira, T. (197) 289
Yang, B.-Z., see Bao, Y. (197) 389
Yin, X.-H., Gagnat, J., Gerbaud, C., Guérineau, M. and Virolle, M.-J.
Cloning and characterization of a new α-amylase gene from *Streptomyces lividans* TK24 (197) 37
Yoo, O.J., see Kang, J.S. (197) 19
Yoshikawa, H., Nagai, H., Oh, K.S., Tamai, S., Fujiyama, A., Nakanishi, T., Kajiyama, G. and Matsubara, K.
Chromosome assignment of aberrant *Not*I restriction DNA fragments in primary hepatocellular carcinoma (197) 129

Zhen, Y.-Y., see Ouyang, P. (197) 115